



QS3200r

Roll-to-Roll Productivity Meets High-Definition Quality.

The VUTEK® QS3200r roll-to-roll UV-curing printer from EFI™ is the newest printer in the award-winning VUTEK QS Family. It combines High-Definition Print (HDP) capability with high production speeds, making the VUTEK QS3200r ideal for sign shops, screen printers and print providers looking to complement or replace existing solvent or UV output with uncompromised quality and UV roll-to-roll capability. Best of all, it's from VUTEK, the leader in superwide format printing.

- Delivers HDP print resolutions up to 1080 dpi for dazzling images and sharp text.
- Productivity up to 1,850 square feet (172 square meters) per hour — the fastest in the industry.
- Prints on a wide variety of flexible substrates up to .125 inches (3 mm) thick and 126.5 inches (3.2 meters) wide.
- Deliver the highest quality signs, Point-of-Purchase displays, banners and other superwide print applications faster than ever before.

VUTEK DNA – Making your Business More Productive, Profitable and Successful for Generations to Come.

- Specialized digital inkjet printing solutions.
- High quality VUTEK inks.
- Unparalleled training, service and support, including our Enhanced Service Program [ESP].
- EFI Fiery® XF production RIP.





QS3200r

VUTEK QS3200r

Beat the competition and profit with EFI's integrated Fiery, VUTEK and APPS printing solutions. Visit www.efi.com.

Features and Benefits

- Eight-color UV printing for outstanding image quality switchable to Fast-4™ for high productivity.
- High Definition, 1080 dpi printing.
- Prints quality output up to 1,850 sq.ft./hr. (172 sqm./hr).
- Multiple roll capability.
- High Image quality.
- VUTEK Smoothing.
- Sturdy production design for around the clock operation.
- No harmful VOC emissions.
- Optional backlit — day/night capability

Media/Handling

- Size: sheet and continuous feed, up to 126.5 inches (3.2 meters) wide.
- Type: flexible on roll to roll up to .125 inches (3mm.) thick.

Printing Technology

- Seiko drop-on-demand piezo inkjet technology.
- VUTEK QS3200r: user selectable 540 or 1080 dpi.
- One-year printer warranty (includes parts, labor and Seiko inkjet heads).
- 24 x 7 technical support.

Formats

- All popular desktop file formats, including PostScript®3™, EPS, TIFF, PDF, RGB/CMYK.

Environmental Considerations

- Compressed Air: 95 - 150 maximum at 4 cf/m – dry air only (not included).
- Temperature: 68° F to 85° F (20° C to 30° C).
- Humidity: 30% to 80% (non-condensing).
- Weight: 7019 lbs. (3184.0 kg).

- Height: 68.75" (174.6 cm).
- Width: 232" (589.3 cm).
- Depth: 66.5" (168.9 cm).
 - + 15" (38.1 cm) unwinder.
 - + 15" (38.1 cm) rewinder.
- Electrical: 1-Phase, 70 amp, 200-240 volt supply.

Fiery XF RIP

- Client/server architecture for decentralized remote operation.
- Unlimited clients for simultaneous set up of multiple jobs.
- Complete job management and set up both from Macintosh® and PC.
- Modern, intuitive graphical user interface with one click access to all job settings.
- Advanced, easy-to-use wizard-guided color tools for consistent predictable high color quality.
- Powerful production tools like nesting, step and repeat, scaling, cropping and tiling (flexible custom + automatic set up).
- Advanced ICC color management for reliable color quality output and proofing quality color on production level printers.
- Strong color recalibration, output quality and speed.
- Unlimited workflow and hot folder setup.
- File Output Module for output of color managed files to extend your service portfolio.
- Scalable, versatile platform grows with your needs when your business grows.
- Central RIP server that drives VUTEK superwide format printers, production printers, proofing printers and Fiery-driven xerographic devices (option). Proof your print on another printer simulating your VUTEK device and produce more sellable output on your VUTEK solution.
- Multi-lingual user interface and manuals.
- Exclusive platform for further EFI software integration.

ColorBurst RIP Alternative

- Intuitive graphical user interface for easy operation and calibration.
- Multi-language graphical user interface.
- ICC color management.
- Advanced layout feature to simplify complex printing jobs.
- Automated contour cutting support.
- Innovative screenprint emulation mode.

Inks

- VUTEK inks are supplied in 5.0 liter containers available in cyan, magenta, yellow, black, light cyan, light magenta, light yellow and light black.
- 3M™ offers the Performance Guarantee on 3M substrates with VUTEK inks. 3M offers a 5-year 3M-MCS warranty with qualified 3M inks.

Enhanced Service Plans

Eligible for:

- Critical – eight business hour (one business day) response.
- ProActive – 16 business hour (two business day) response.
- Essential – 24 business hour (three business day) response.



One VUTEK Place
Meredith, NH 03253
603-279-4635
www.efi.com/VUTEK

Auto-Count, Bliss, Changing the Way the World Prints, ColorWise, Command WorkStation, DocBuilder, DocBuilder Pro, DocStream, EDOX, EFI, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, OneFlow, PrinterSite, PrintFlow, PrintMe, PrintSmith Site, Prograph, Proteus, RIP-While-Print, Setting the Standard in Digital Printing, Ultraviv and VUTEK are registered trademarks of Electronics for Imaging, Inc. in the U.S. Patent and Trademark Office and/or certain other foreign jurisdictions. Bestcolor is a registered trademark of Electronics For Imaging GmbH in the U.S. Patent and Trademark Office. AutoCal, Balance, BioVu, BioWare, Build, ColorCal, Digital StoreFront, Estimate, Fiery Link, Fiery Prints, Fiery Spark, FreeForm, Hagen, Jettrion, Logic, MicroPress, PhotoXposure, PrintCafe, PrintSmith, PSI, PSI Flexo, Remoteproof, RIPChips, Scan, Screenproof, SendMe, Splash, Spot-On, UltraTex, UV Series 50, VisualCal, WebTools, the EFI logo, the Fiery Prints logo and Essential to Print are trademarks of Electronics for Imaging, Inc. Best, the Best logo, Colorproof, PhotoXposure, Remoteproof, and Screenproof are trademarks of Electronics For Imaging GmbH. All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.

© 2008 Electronics for Imaging

Superwide Format Solutions

VTKQS3200r DS REVA 8/19/08